



# MATERIAL SAFETY DATA SHEET

Name of Material	
Quick Patch	
1	HEALTH
1	FLAMMABILITY
0	REACTIVITY
J	PROTECTIVE EQUIPMENT

## Section I - PRODUCT IDENTIFICATION

**PRODUCT NAME:** Latexite® Quick Patch  
**MANUFACTURER NAME:** Dalton Enterprises, Inc.  
**ADDRESS:** 131 Willow Street Cheshire, CT 06410  
**EMERGENCY PHONE NUMBER:** (203) 272-3221  
**AFTER 5 PM AND ON WEEKENDS:** (203) 272-3221  
**ORIGINATOR:** K.P  
**TRADE NAMES & SYNONYMS:** Pavement Patch  
**CHEMICAL FAMILY:** Mixture  
**EFFECTIVE DATE:** 02/25/2008  
**DATE SUPERSEDED:** 03/01/2007

## Section II - HAZARDOUS / NON-HAZARDOUS INGREDIENTS

### Asphalt

CAS #8052-42-4  
 Listed in SARA Title III, Section 313: No  
 OSHA PEL: 10 ppm  
 ACGIH TLV: 0.2 mg/m<sup>3</sup> (volatiles)  
 STEL: N/A  
 LC50: N/A  
 LD50 N/A

### Lime Stone

CAS #1317-65-3  
 Listed in SARA Title III, Section 313: No  
 OSHA PEL: N/A  
 ACGIH TLV: N/A  
 STEL: N/A  
 LC50: N/A  
 LD50: CTI > 320,000

N/A = Not available or applicable

Ingredients total weight % are below 100% only if all others unlisted are not considered hazardous by any federal (OSHA, WHMIS, SARA), any state or province, or local Right-To-Know regulations.

## Section III - PHYSICAL DATA

**APPEARANCE & ODOR:** Black viscous fluid mixed with sand and stone. Asphaltic odor.  
**BOILING POINT:** 900° F  
**VAPOR PRESSURE:** N/A  
**SPECIFIC GRAVITY:** 1.3  
**SOLUBILITY IN WATER:** negligible  
**EVAPORATION RATE:** Not Known  
**PH:** N/A  
**WATER/OIL DIST. COEFFICIENT:**

**PHYSICAL STATE:** Solid  
**FREEZING POINT:** N/A  
**% VOLATILE (by Wt.):** negligible  
**THRESHOLD ODOR:** N/A  
**VAPOR DENSITY:** (air+)GT10

## Section IV - FIRE AND EXPLOSION HAZARD DATA

**FLAMABILITY CLASSIFICATION:** Not Regulated  
**FLASH POINT:** Greater than 210° F. TCC  
**AUTO IGNITION TEMP.:** n/a  
**LOWER EXPLOSIVE LIMIT (LEL):** N/A

**UPPER EXPLOSIVE LIMIT (UEL):** N/A

**COMBUSTION PRODUCTS:**

Hydrocarbon compounds, CO<sub>2</sub> and CO.

**EXTINGUISHING MEDIA:**

Water, foam and dry chemical

**NFPA RATING:** HEALTH: 1 FIRE: 1 REACTIVITY: 0

**UN/NA/PIN#:** N/A

**IMPACT SENSITIVE:** No

**STATIC SENSITIVE:** No

**EXPLOSIVE POWER:** N/A

**BURNING RATE:** N/A

**Section V - HEALTH HAZARD DATA**

**THRESHOLD LIMIT VALUE:** See Section II

**ROUTES OF ENTRY:** Skin, eyes, inhalation, ingestion.

**EFFECTS OF OVEREXPOSURE / ACUTE OVEREXPOSURE:**

Eyes: May cause severe eye irritation which can result in irreversible damage.

Inhalation: May cause headaches, dizziness, nausea vomiting and perhaps loss of consciousness. Vapors may be irritating to eyes, nose and throat.

Skin: May cause irritation of skin and/or systemic effects by absorption.

Ingestion: May result in vomiting; aspiration of vomitus must be avoided as liquid contact with the lungs can result in chemical pneumonitis and pulmonary edema/hemorrhage. Have patient drink large amounts of water; contact a physician.

**EMERGENCY AND FIRST AID PROCEDURES:**

Eyes: Immediately flush with clean water for 15 minutes while holding eyelids open; consult a physician.

Inhalation: If overcome by mist or vapor, remove from exposure immediately; call a physician. If breathing is stopped or irregular, start resuscitation, administer oxygen.

Skin: Remove any contaminated clothing and wash skin with soap and warm water. Vegetable or mineral oil can remove dry material.

Ingestion: DO NOT INDUCE VOMITING even though vomiting may occur. If vomiting occurs, keep head below hips to prevent aspiration of liquid into the lungs. Get immediate medical attention.

**Section VI - REACTIVITY DATA**

**STABILITY:** Stable

**HAZARDOUS POLYMERIZATION:** Will Not Occur

**HAZARDOUS DECOMPOSITION PRODUCTS:** N/A

**CONDITIONS TO AVOID:** High temperatures. Keep product from freezing.

**Section VII - SPILL OR LEAK PROCEDURES**

**SARA TITLE III:**

#302: No #304 CERCLA: No #313: No RCRA: No

**Steps to be taken in case material is released or spilled:**

Ventilate the area. Wear suitable protective clothing, gloves and eye/face protection. Contain and pick up waste materials. Put in a sealed, approved container. Dispose of in accordance with federal, state and local regulations.

**Reportable Quantity (lb.):** N/A

**TPO (lb.):** N/A

**Regulations:** WHMIS, SARA, state and province.

**Hazardous Waste:** N/A

**Section VIII - SAFE HANDLING AND PROTECTION INFORMATION**

**Respiratory Protection:** Use only with adequate ventilation. If ventilation is inadequate, wear approved respiratory equipment.

**Ventilation:**

- Local Exhaust: Required
- Mechanical (general): Required
- Special: N/A
- Other: N/A

**Protective Gloves:** Rubber gloves

**Eye Protection:** Wear safety glasses, goggles or face shield.

**Other Protective Equipment:** Wear suitable protective clothing.

**Estimated LD50, MG/KG:** N/A

**Estimated LC50, MG/KG:** N/A

**Sensitization:** N/A

**Irritant:** Yes

**Section IX - SPECIAL PRECAUTIONS**

Keep out of reach of children.

For professional and industrial use only.

Always read label plus precautions and follow directions carefully.

Do not breathe vapor or spray mist.

Use only with adequate ventilation.

Do not take internally.

Avoid contact with eyes and skin.

Wash thoroughly after using.

Additional Technical Data Sheets and/or MSDS are available upon request.

THE INFORMATION AND RECOMMENDATIONS PROVIDED HEREIN ARE BELIEVED TO BE ACCURATE AS OF THE DATE HEREOF. HOWEVER, SUCH INFORMATION AND RECOMMENDATIONS ARE PROVIDED WITHOUT WARRANTY OF ANY KIND AND THIS CORPORATION DISCLAIMS ANY AND ALL LIABILITY OR LEGAL RESPONSIBILITY FOR USE OR RELIANCE UPON SAME.