



MATERIAL SAFETY DATA SHEET

Name of Material	
Trowel Patch	
1	HEALTH
1	FLAMMABILITY
0	REACTIVITY
J	PROTECTIVE EQUIPMENT

Section I - PRODUCT IDENTIFICATION

PRODUCT NAME: Latexite[®] Trowel Patch
MANUFACTURER NAME: Dalton Enterprises, Inc.
ADDRESS: 131 Willow Street Cheshire, CT 06410
EMERGENCY PHONE NUMBER: (203) 272-3221
AFTER 5 PM AND ON WEEKENDS: (203) 272-3221
ORIGINATOR: Customer Service
TRADE NAMES & SYNONYMS: Asphalt Patch Materials
CHEMICAL FAMILY:
EFFECTIVE DATE: 02/25/2009
DATE SUPERSEDED: 2/25/2008

Section II - HAZARDOUS / NON-HAZARDOUS INGREDIENTS

Asphalt/Asfalto: STEL: N/A
CAS #8052-42-4 LC50: Human >0.3ppm
Listed in SARA Title III, Section 313: NO LD50: N/A
OSHA PEL: 10ppm
ACGIH TLV: 5 mg/m³ (volatiles)

Silica-Crystalline/ Sílice Cristalino: STEL: N/A
CAS #14808-60-7 LC50: N/A
Listed in SARA Title III, Section: No LD50: N/A
OSHA PEL: 0.1 mg/m³ (dust)
ACGIH TLV: 0.1 mg/m³ (dust)

Clay/Arcilla: ACGIH TLV: 2 mg/m³ (dust)
CAS #1332-58-7 STEL: N/A
Listed in SARA Title III, Section 313: No LC50: N/A
OSHA PEL: 5 mg/m³ (dust) LD50: N/A

Water/Agua:
CAS #7732-18-5

N/A = Not available or applicable

Ingredients total weight % are below 100% only if all others unlisted are not considered hazardous by any federal (OSHA, WHMIS, SARA), any state or province, or local Right-To-Know regulations.

Section III - PHYSICAL DATA

APPEARANCE & ODOR: Thick black mixture
BOILING POINT: 212°F
VAPOR PRESSURE: 17mm Hg
SPECIFIC GRAVITY: 1.20
SOLUBILITY IN WATER: Dispersed in water insoluble when dry.
EVAPORATION RATE: N/A
PH: 7.5-9.5
PHYSICAL STATE: Liquid/paste
FREEZING POINT: 32°F
%VOLATILE (by Wt.): 60%
VAPOR DENSITY: 1
THRESHOLD ODOR: N/A
WATER/OIL DIST. COEFFICIENT: N/A
MAX VOC: Less than 10 g/L

Section IV – FIRE AND EXPLOSION HAZARD DATA

Flammability Classification: N/R
Flash Point (method used): Greater than 210°F. TCC
Flammable Limits: LEL: N/A **UEL:** N/A
Combustion Products: Hydrocarbon compounds, CO, and CO₂.
Extinguishing Media: Water, Foam, dry chemical, CO₂.
Special Fire Fighting Procedures: Cool exposed containers to prevent steam pressure buildup. Wear self-contained breathing equipment.
Unusual Fire and Explosion Hazards: Closed containers may build up pressure from heat.
UN/NA/PIN#: N/A
NFPA Rating: Health 1; Fire 1; Reactivity 0
Impact Sensitive: No
Static Sensitive: No
Explosive Power: N/A
Burning Rate: N/A

Section V – HEALTH HAZARD DATA

Threshold Limit Value: See Section II
Routes of Entry: Ingestion.
Effects of Overexposure:
Ingestion: May cause nausea, cramps, vomiting, diarrhea or acute effects. May be fatal in large amounts.
Emergency & First Aid Procedures:
Eyes: Immediately flush with plenty of water for 15 minutes; consult a physician.
Skin: Wash thoroughly with plenty of water and soap.
Ingestion: Seek physician immediately, show MSDS or label, DO NOT induce vomiting.

Section VI – REACTIVITY DATA

Stability: Stable
Conditions to Avoid: Keep from freezing.
Incompatibility (materials to avoid): None.
Hazardous Decomposition Products: None.

Hazardous Polymerization: Will not occur.

Conditions to Avoid: N/A

Section VII – SPILL OR LEAK PROCEDURES

SARA TITLE III:

#302: No #304 CERCLA: No #313: No RCRA: No

Steps to be taken in case material is released or spilled:

Ventilate the area. Wear suitable protective clothing, gloves and eye/face protection. Contain and pick up waste materials. Put in a sealed, approved container. Dispose of in accordance with federal, state and local regulations.

Reportable Quantity (lbs.): N/A

TPO (lb.): N/A

Regulations: WHMIS, SARA, state and province.

Hazardous Waste: N/A

Section VIII – SAFE HANDLING AND PROTECTION INFORMATION

Protective Gloves: Rubber gloves

Eye Protection: Wear safety glasses, goggles or face shield.

Other Protective Equipment: Wear suitable protective clothing.

Estimated LD50, MG/KG: N/A

Estimated LC50, MG/KG: N/A

Sensitization: N/A

Section IX – SPECIAL PRECAUTIONS

Keep out of reach of children.

Always read label plus precautions and follow directions carefully.

Keep from freezing.

Do not take internally.

Avoid contact with eyes and skin.

Wash thoroughly after using.

Additional Technical Data Sheets and/or MSDS are available upon request.

THE INFORMATION AND RECOMMENDATIONS PROVIDED HEREIN ARE BELIEVED TO BE ACCURATE AS OF THE DATE HEREOF. HOWEVER, SUCH INFORMATION AND RECOMMENDATIONS ARE PROVIDED WITHOUT WARRANTY OF ANY KIND AND THIS CORPORATION DISCLAIMS ANY AND ALL LIABILITY OR LEGAL RESPONSIBILITY FOR USE OR RELIANCE UPON SAME.